JPL Publication 02-25



Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies

Evaluation Number 14

NASA Panel for Data Evaluation:

S. P. Sander R. R. Friedl Jet Propulsion Laboratory Pasadena, California

D. M. Golden Stanford University Stanford, California

M. J. Kurylo R. E. Huie V. L. Orkin National Institute of Standards and Technology Gaithersburg, Maryland

G. K. Moortgat Max-Planck Institute for Chemistry Mainz, Germany

National Aeronautics and Space Administration

Jet Propulsion Laboratory California Institute of Technology Pasadena, California A. R. Ravishankara NOAA Environmental Research Laboratory Boulder, Colorado

C. E. Kolb Aerodyne Research, Inc. Billerica, Massachusetts

M. J. Molina Massachusetts Institute of Technology Cambridge, Massachusetts

B. J.Finlayson-Pitts University of California, Irvine Irvine, California

February 1, 2003

The research described in this publication was carried out by the Jet Propulsion Laboratory, California Institute of Technology, under a contract with the National Aeronautics and Space Administration.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not constitute or imply its endorsement by the United States Government or the Jet Propulsion Laboratory, California Institute of Technology

ABSTRACT

This is the fourteenth in a series of evaluated sets of rate constants and photochemical cross sections compiled by the NASA Panel for Data Evaluation.

The data are used primarily to model stratospheric and upper tropospheric processes, with particular emphasis on the ozone layer and its possible perturbation by anthropogenic and natural phenomena.

Copies of this evaluation are available in electronic form and may be printed from the following Internet URL:

http://jpldataeval.jpl.nasa.gov/

TABLE OF CONTENTS

INTROE	DUCTION	viii		
I.1	Basis of the Recommendations			
I.2	Scope of the Evaluation	ix		
I.3	Format of the Evaluation			
I.4	Computer Access			
I.5	Data Formats			
I.6	Units			
I.7	Noteworthy Changes in This Evaluation	X		
I.8	Acknowledgements	xiii		
I.9	References	xiii		
SECTIO	N 1. BIMOLECULAR REACTIONS	1-1		
11	Introduction	1-1		
1.1	Uncertainty Estimates	1-2		
13	Notes to Table 1	1-31		
1.4	References			
SECTIO	N 2. TERMOLECULAR REACTIONS	2-1		
2.1	Introduction	2-1		
2.2	Low–Pressure-Limiting Rate Constant, $k_o^x(T)$			
2.3	Temperature Dependence of Low-Pressure Limiting Rate Constants: T ⁿ			
2.4	High-Pressure-Limit Rate Constants, $k_{\alpha}(T)$			
2.5	Temperature Dependence of High-Pressure-Limiting Rate Constants: T ^m			
2.6	Uncertainty Estimates			
2.7	Notes to Table 2			
2.8	References	2-16		
an am a		2.1		
SECTIO	N 3. EQUILIBRIUM CONSTANTS	3-1		
3.1	Format			
3.2	Definitions			
3.3	Notes to 1 able 3			
3.4	Kelerences			
SECTIO	N 4. PHOTOCHEMICAL DATA	4-1		
4.1	Format and Error Estimates			
4.2	Halocarbon Absorption Cross Sections and Quantum Yields			
4.3	References	4-102		
anamo				
SECTIO	N 5. HETEROGENEOUS CHEMISTRY			
5.1				
5.2	Surface Types—Acid/Water, Liquids, and Solids			
5.3	Surface Types—Soot and Alumina			
5.4	Surface Composition and Morphology			
5.5	Surface Porosity			
5.6	remperature Dependences of Parameters			
5./	Solubility Limitations			
5.8	Data Organization.			
5.9	ratainetti Definitions			
5.10	Wass Accommodation Coefficients for Suffaces Other Than Soot			
5.11	Cas/Surface Reaction Probabilities for Surfaces Other Than Soot			
5.12	Notes to Table 5-2			
5.15		J-17		

5.14	Soot Surface Uptake Coefficients	
5.15	Notes to Table 5-3	
5.16	Henry's Law Constants for Pure Water	
5.17	Notes to Table 5-4	
5.18	Henry's Law Constants for Acids	
5.19	Notes to Table 5-5	
5.20	References	
APPEND	DIX A. THERMODYNAMIC PARAMETERS	A-1
A.1	Gas-phase entropy and enthalpy values	A-1
A.1	References	A-8

TABLES

Table I-1. Editions of this Publication	viii
Table I-2. Panel Members and their Major Responsibilities for the Current Evaluation	viii
Table 1-1. Rate Constants for Second-Order Reactions	1-5
Table 2–1. Rate Constants for Termolecular Reactions.	2-4
Table 3-1. Equilibrium Constants	3-2
Table 4-1. Photochemical Reactions	4-4
Table 4-2. Combined Uncertainties for Cross Sections and Quantum Yields	4-6
Table 4-3. Absorption Cross Sections of O ₂ Between 205 and 240 nm	4-7
Table 4-4. Absorption Cross Sections of O ₃ at 273 K	4-8
Table 4-5. Parameters for the Calculation of O(¹ D) Quantum Yields	4-9
Table 4-6. Absorption Cross Sections of HO ₂	4-10
Table 4-7. Absorption Cross Sections of H ₂ O Vapor	4-11
Table 4-8. Absorption Cross Sections of H ₂ O ₂ Vapor	4-11
Table 4-9. Mathematical Expression for Absorption Cross Sections of H2O2 as a Function of Temperature	4-12
Table 4-10. Absorption Cross Sections of NO ₂	4-13
Table 4-11. Quantum Yields for NO ₂ Photolysis	4-14
Table 4-12. Absorption Cross Sections of NO ₃ at 298 K	4-16
Table 4-13. Mathematical Expression for Absorption Cross Sections of N ₂ O as a Function of Temperature [*]	4-16
Table 4-14. Absorption Cross Sections of N2O at 298 K	4-17
Table 4-15. Absorption Cross Sections of N ₂ O ₅	4-18
Table 4-16. Absorption Cross Sections of HONO	4-19
Table 4-17. Absorption Cross Sections and Temperature Coefficients of HNO ₃ Vapor	4-20
Table 4-18. Absorption Cross Sections of HO ₂ NO ₂ Vapor	4-20
Table 4-19. Absorption Cross Sections and Quantum Yields for Photolysis of CH ₂ O	4-21
Table 4-20. Absorption Cross Sections of CH ₃ O ₂ , C ₂ H ₅ O ₂ , and CH ₃ C(O)O ₂	4-22
Table 4-21. Absorption Cross Sections of CH ₃ OOH	4-23
Table 4-22. Absorption Cross Sections of PAN	4-25
Table 4-23. Absorption Cross Sections of FNO	4-26
Table 4-24. Absorption Cross Sections of CCl ₂ O, CClFO, and CF ₂ O at 298 K	4-27
Table 4-25. Absorption Cross Sections of Cl ₂	4-28
Table 4-26. Absorption Cross Sections of ClOO	4-29
Table 4-27. Absorption Cross Sections of OCIO at the Band Peaks	4-30
Table 4-28. Absorption Cross Sections of Cl ₂ O	4-32
Table 4-29. Absorption Cross Sections of ClOOCl at 200–250 K	4-33
Table 4-30. Absorption Cross Sections of Cl ₂ O ₃	4-34
Table 4-31. Absorption Cross Sections of Cl ₂ O ₄	4-34
Table 4-32. Absorption Cross Sections of Cl ₂ O ₆	4-34

Table 4-33. Absorption Cross Sections of HCl Vapor	4-35
Table 4-34. Absorption Cross Sections of HOCl	4-36
Table 4-35. Absorption Cross Sections of CINO	4-37
Table 4-36 Absorption Cross Sections of CINO ₂	4-37
Table 4-37 Absorption Cross Sections of CIONO at 231 K	4-38
Table 4-38 Absorption Cross Sections of CIONO2	4-39
Table 4-39 Absorption Cross Sections of CCL at 295–298 K	
Table 4-57. Absorption Cross Sections of CH_0Cl	
Table 4.41 Absorption Cross Sections of CHCL at 205, 208 V	
Table 4.42. Absorption Cross Sections of CIL Cl. at 205–200 K.	
Table 4-42. Absorption Cross Sections of CH ₂ Cl ₂ at $295-298$ K	
Table 4-45. Adsorption Cross Sections of CH ₃ CI at 295–298 K	
Table 4-44. Absorption Cross Sections of CH_3CU_3 at 295–298 K	
Table 4-45. Absorption Cross Sections of CH_3CH_2CI at 298 K	
Table 4-46. Absorption Cross Sections of $CH_3CHCICH_3$ at 295 K	
Table 4-47. Absorption Cross Sections of CFCl ₃ at 295–298 K	
Table 4-48. Absorption Cross Sections of CF_2CI_2 at 295–298 K	
Table 4-49. Absorption Cross Sections of CF ₃ Cl at 295 K	
Table 4-50. Absorption Cross Sections of CF2ClCFCl2 at 295–298 K.	
Table 4-51. Absorption Cross Sections of CF2ClCF2Cl at 295 K	4-53
Table 4-52. Absorption Cross Sections of CF ₃ CF ₂ Cl at 295–298 K	4-53
Table 4-53. Absorption Cross Sections of CHFCl ₂ at 295–298 K	4-54
Table 4-54. Absorption Cross Sections of CHF ₂ Cl at 295–298 K	4-55
Table 4–55. Absorption Cross Sections of CH ₂ FCl at 298 K	4-55
Table 4-56. Absorption Cross Sections of CF ₃ CHCl ₂ at 295 K	4-56
Table 4-57. Absorption Cross Sections of CF ₃ CHFCl at 295 K	4-57
Table 4-58. Absorption Cross Sections of CF ₃ CH ₂ Cl at 298 K	4-58
Table 4-59. Absorption Cross Sections of CH ₃ CFCl ₂ at 295–298 K.	4-59
Table 4–60. Absorption Cross Sections of CH ₃ CF ₂ Cl at 295–298 K	4-60
Table 4-61. Absorption Cross Sections of CF ₃ CF ₂ CHCl ₂ and CF ₂ ClCF ₂ CFCl at 298 K	4-61
Table 4-62. Absorption Cross Sections at the Peak of Various Bands in the A \leftarrow X Spectrum of BrO	4-62
Table 4-63. Absorption Cross Sections of BrO	4-62
Table 4-64 Absorption Cross Sections of HOBr	4-65
Table 4-65 Absorption Cross Sections of BrONO ₂ at 298 K	4-66
Table 4-66 Absorption Cross Sections of BrCl at 298 K	4-67
Table 4-67 Absorption Cross Sections of CH_2Br at 295–296 K	4-69
Table 4-68 Absorption Cross Sections of CH ₂ Br at 295–298 K	4-70
Table 4-69 Absorption Cross Sections of CHBr ₂ at 295–296 K	4-71
Table 4-70 Absorption Cross Sections of CH_BrCH_Br at 295 K	4_72
Table 4-71 Absorption Cross Sections of C.H.Br at 295 K	
Table 4-72 Absorption Cross Sections of CH.CIBr at 295 K	
Table 4.72. Absorption Cross Sections of CHCIBr. at 206 K	
Table 4.74. Absorption Cross Sections of CHCl Br at 200 K	
Table 4.75. Absorption Cross Sections of CCL Br at 200 K	
Table 4-75. Absorption Cross Sections of CUE Dr at 298 K	
Table 4-70. Absorption Cross Sections of CE P_2 at 205 206 K	
Table 4-77. Adsorption Cross Sections of CF_2BF_2 at 295–290 K	
Table 4-78. Adsorption Cross Sections of CF ₂ CIBF at 295–298 K	
1 able 4-79. Absorption Cross Sections of UF_3Br at 295–298 K	
1 able 4-80. Absorption Cross Sections of UF_3UH_2Br at 295 K	
Table 4-81. Absorption Cross Sections of UF ₃ UHUBr at 295–298 K	
1 able 4-82. Absorption Cross Sections of CF_3CHFBr at 295 K	
1 able 4-83. Absorption Cross Sections of CF_2BrCF_2Br at 296 K	
Table 4-84. Absorption Cross Sections of CF_3CF_2Br at 298 K	
Table 4-85. Absorption Cross Sections of CH ₃ I at 296–298 K and Temperature Coefficients	4-88
Table 4-86. Absorption Cross Sections of CH_2I_2 at 298 K	4-89
Table 4-87. Absorption Cross Sections of C_2H_5I at 298 K and Temperature Coefficients	4-90
Table 4-88. Absorption Cross Sections of CH ₃ CHI ₂ at 298 K	4-91

Table 4-89. Absorption Cross Sections of C ₃ H ₇ I at 298 K and Temperature Coefficients	4-92
Table 4-90. Absorption Cross Sections of (CH ₃) ₃ CI at 298 K	4-93
Table 4-91. Absorption Cross Sections of CF ₃ I at 295–300 K	4-95
Table 4-92. Absorption Cross Sections of CF ₂ I ₂ at 294 K	4-96
Table 4-93. Absorption Cross Sections of C ₂ F ₅ I at 323 K	4-96
Table 4-94. Absorption Cross Sections of 1-C ₃ F ₇ I at 295–298 K	4-97
Table 4-95. Absorption Cross Sections of CH2ICl at 298 K and Temperature Coefficients	4-98
Table 4-96. Absorption Cross Sections of CH ₂ BrI at 298 K and Temperature Coefficients	4-99
Table 4-97. Absorption Cross Sections of OCS	4-100
Table 4-98. Absorption Cross Sections of NaCl Vapor at 300 K	4-101
Table 5-1. Mass Accommodation Coefficients (α) for Surfaces Other Than Soot.	5-8
Table 5-2. Gas/Surface Reaction Probabilities (γ) for Surfaces Other Than Soot	5-16
Table 5-3. Soot Surface Uptake Coefficients.	5-32
Table 5-4. Henry's Law Constants for Pure Water.	5-35

Table A-1. Gas-phase entropy and enthalpy values for selected species at 298.15 K and 100 kPa.....A-1

FIGURES

Figure 1-1. Symmetric and Asymmetric Error Limits	1-3
Figure 4-1. Absorption Spectrum of NO ₃	4-15
Figure 4-2. Absorption Spectrum of CIO	4-29
Figure 4-3. Absorption Spectrum of OCIO	4-31
Figure 4-4. Absorption Spectrum of BrO	4-63
Figure 5-1. Recommended reactive uptake coefficients as a function of temperature for key stratospheric	
heterogeneous processes on sulfuric acid aerosols	5-7

INTRODUCTION

This compilation of kinetic and photochemical data is an update to the 13th evaluation prepared by the NASA Panel for Data Evaluation. The Panel was established in 1977 by the NASA Upper Atmosphere Research Program Office for the purpose of providing a critical tabulation of the latest kinetic and photochemical data for use by modelers in computer simulations of stratospheric chemistry. Table I-1 lists this publication's editions:

	Edition	Reference
1	NASA RP 1010, Chapter 1	(Hudson [1])
2	JPL Publication 79-27	(DeMore et al. [12])
3	NASA RP 1049, Chapter 1	(Hudson and Reed [2])
4	JPL Publication 81-3	(DeMore et al. [10])
5	JPL Publication 82-57	(DeMore et al. [8])
6	JPL Publication 83-62	(DeMore et al. [9])
7	JPL Publication 85-37	(DeMore et al. [3])
8	JPL Publication 87-41	(DeMore et al. [4])
9	JPL Publication 90-1	(DeMore et al. [5])
10	JPL Publication 92-20	(DeMore et al. [6])
11	JPL Publication 94-26	(DeMore et al. [7])
12	JPL Publication 97-4	(DeMore et al. [11])
13	JPL Publication 00-3	(Sander et al. [14])
14	JPL Publication 02-25	(Sander et al. [13])

Table I-1. Editions of this Publication

website.

In addition to the current edition, several of the previous editions are available for download from the

Panel members, and their major responsibilities for the current evaluation are listed in Table I-2.

Table I-2. Panel	Members and the	ir Major Rest	oonsibilities for th	e Current Evaluation

Panel Members	Responsibility	
S. P. Sander, Chairman	Editorial Review, publication, website	
M. J. Kurylo	OII reactions with helpoorthons	
V. L. Orkin	OH reactions with nalocarbons	
D. M. Golden	Three-body reactions, equilibrium constants	
R. E. Huie	Aqueous chemistry, thermodynamics	
B. J. Finlayson-Pitts		
C. E. Kolb	Heterogeneous chemistry	
M. J. Molina		
R. R. Friedl	Upper Troposphere/Lower Stratosphere gas-phase	
A. R. Ravishankara	chemistry	
G. K. Moortgat	Photochemistry	

As shown above, each Panel member concentrates his efforts on a given area or type of data. Nevertheless, the Panel's final recommendations represent a consensus of the entire Panel. Each member reviews the basis for all recommendations, and is cognizant of the final decision in every case.

Communications regarding particular reactions may be addressed to the appropriate panel member:

S. P. Sander R. R. Friedl Jet Propulsion Laboratory M/S 183-901 4800 Oak Grove Drive Pasadena, CA 91109 stanley.sander@jpl.nasa.gov randall.friedl@jpl.nasa.gov R. E. Huie M. J. Kurylo V. L. Orkin National Institute of Standards and Technology Physical and Chemical Properties Division Gaithersburg, MD 20899 robert.huie@nist.gov michael.kurylo@nist.gov vladimir.orkin@nist.gov C. E. Kolb Aerodyne Research Inc. 45 Manning Rd. Billerica, MA 01821 kolb@aerodyne.com

G. K. Moortgat Max-Planck-Institut für Chemie Atmospheric Chemistry Division Postfach 3060 55020 Mainz Germany <u>moo@mpch-mainz.mpg.de</u> D. M. Golden Department of Mechanical Engineering Stanford University Bldg 520 Stanford, CA 94305 david.golden@stanford.edu

A. R. Ravishankara NOAA-ERL, R/E/AL2 325 Broadway Boulder, CO 80303 <u>ravi@al.noaa.gov</u>

M. J. Molina Department of Earth, Atmospheric, and Planetary Sciences and Department of Chemistry Massachusetts Institute of Technology Cambridge, MA 02139 <u>mmolina@mit.edu</u>

B. J. Finlayson-Pitts Department of Chemistry University of California, Irvine 516 Rowland Hall Irvine, CA 92697-2025 <u>bjfinlay@uci.edu</u>

I.1 Basis of the Recommendations

The recommended rate data and cross sections are based on laboratory measurements. In order to provide recommendations that are as up-to-date as possible, preprints and written private communications are accepted, but only when it is expected that they will appear as published journal articles. Under no circumstances are rate constants adjusted to fit observations of atmospheric concentrations. The Panel considers the question of consistency of data with expectations based on the theory of reaction kinetics, and when a discrepancy appears to exist this fact is pointed out in the accompanying note. The major use of theoretical extrapolation of data is in connection with three-body reactions, in which the required pressure or temperature dependence is sometimes unavailable from laboratory measurements, and can be estimated by use of appropriate theoretical treatment. In the case of important rate constants for which no experimental data are available, the panel may provide estimates of rate constant parameters based on analogy to similar reactions for which data are available.

I.2 Scope of the Evaluation

In the past (releases 1-12 of this evaluation) it has been the practice of the Panel to reevaluate the entire set of reactions with individual Panel members taking responsibility for specific chemical families or processes. In recent years, the upper troposphere and lower stratosphere (UT/LS) have become the primary areas of focus for model calculations and atmospheric measurements related to studies of ozone depletion and climate change. Because the UT/LS is a region of relatively high chemical and dynamical complexity, a different approach has been adopted for future releases of the evaluation. Specifically, the entire reaction set of the data evaluation will no longer be re-evaluated for each release. Instead, specific subsets will be chosen for re-evaluation, with several Panel members working to develop recommendations for a given area. This approach will make it possible to treat each subset in

greater depth, and to expand the scope of the evaluation to new areas. It is the aim of the Panel to consider the entire set of kinetics, photochemical and thermodynamic parameters every three review cycles. Each release of the evaluation will contain not only the new evaluations, but also recommendations for every process that has been considered in the past. In this way, the tables for each release will constitute a complete set of recommendations.

It is recognized that important new laboratory data may be published that lie outside the specific subset chosen for re-evaluation. In order to ensure that these important data receive prompt consideration, each evaluation will also have a "special topics" category. Feedback from the atmospheric modeling community is solicited in the selection of reactions for this category.

For the current evaluation, the specific subsets include the following:

- Hydrocarbon chemistry of the upper troposphere (C3 hydrocarbons and below).
- Reactions of OH and Cl with halocarbon species.
- Photochemistry of halocarbon species.
- Heterogeneous processes on liquid sulfuric acid and soot surfaces
- Thermodynamic parameters (entropy and enthalpy of formation)
- The special topics category includes the following reactions: O₃ + hv, O + O₂ + M, OH + O₃, HO₂ + O₃, OH + NO₂ + M, HO₂ + NO₂ + M, OH + HNO₃, OH + ClO, HO₂ + ClO and ClO + ClO + M.

I.3 Format of the Evaluation

Changes or additions to the tables of data are indicated by shading. A new entry is completely shaded, whereas a changed entry is shaded only where it has changed. In some cases only the note has been changed, in which case the corresponding note number in the table is shaded.

I.4 Computer Access

This document is available online in the form of individual chapters and as a complete document in Adobe PDF (Portable Data File) format. Files may be downloaded from <u>http://jpldataeval.jpl.nasa.gov/</u>. This document is not available in printed form from JPL.

Individuals who wish to receive notice when the web page is revised should submit email addresses in the appropriate reply box on the web page.

For more information, contact Stanley Sander (Stanley.Sander@jpl.nasa.gov).

I.5 Data Formats

In Table 1 (Rate Constants for Bimolecular Reactions) the reactions are grouped into the classes O_x , HO_x , NO_x , Organic Compounds, FO_x , CIO_x , BrO_x , IO_x , SO_x and Metal Reactions. The data in Table 2 (Rate Constants for Association Reactions) are presented in the same order as the bimolecular reactions. The presentation of photochemical cross section data follows the same sequence.

I.6 Units

The rate constants are given in units of concentration expressed as molecules per cubic centimeter and time in seconds. Thus, for first-, second-, and third-order reactions the units of k are s⁻¹, cm³ molecule⁻¹ s⁻¹, and cm⁶ molecule⁻² s⁻¹, respectively. Cross sections are expressed as cm² molecule⁻¹, base e.

I.7 Noteworthy Changes in This Evaluation

I.7.1 Bimolecular Reactions

I.7.1.1 Hydrocarbon Reactions Important in the Upper Troposphere

Atmospheric observations suggest that photochemistry in the upper troposphere has a much greater global significance than previously believed. The production of O_3 in this region is significant and is controlled by interaction of the HO_x and NO_x radical families. Increasingly, it has been recognized that organic compounds (e.g. ketones, aldehydes, peroxides, and acids) play an important role in supplying HO_x to the upper troposphere. NO_x sources in this region are numerous and long-lived reservoir species such as peroxyacyl nitrates (e.g. PAN) and peroxynitric acid (PNA) serve to redistribute NO_x globally.

In addition, there is renewed interest in the role of convective activity in lifting short-lived hydrocarbons and halocarbon species to levels near the tropopause. If the convection does not directly penetrate the stratosphere, the reactive organics and organo-halogens are likely to react in the upper troposphere. This would be a mechanism for the transport of aldehydes and peroxides noted above. In case of the organo-halogen compounds, releasing degradation products and/or chlorine and bromine radicals in the upper troposphere can be significant. The subsequent fate of the degradation products, especially whether they survive long enough to be transported from the upper troposphere into the stratosphere to affect the halogen budget, is an important open question.

In this update we have considered a set of reactions of importance in upper tropospheric HO_x , NO_x and shortlived halocarbon chemistry. The set includes reactions of OH and Cl with selected alkyl peroxides, organic acids, alkyl and acyl nitrates, aldehydes, and alcohols. It also includes reactions of Cl with various alkylhalides.

We have also updated kinetics parameters for a number of alkylperoxy self- and cross-reactions of importance in upper tropospheric HO_x chemistry. The reactions of peroxy radicals have been studied in the laboratory for many years. However, there are some key difficulties associated with such studies. First, many of the peroxy radicals of interest to the atmosphere are radical-radical reactions that are inherently difficult to study in isolation. For example, many of the reactions of peroxy radicals cannot be carried out under pseudo-first order conditions. Second, many peroxy radical reactions produce reactive products that unavoidably lead to further reactions with the species being monitored. Third, most peroxy radicals do not fluoresce and none have been observed via a fluorescence technique. They also have weak, unstructured absorption spectra in the ultraviolet, which often overlap with those of other peroxy radicals. Therefore, a sensitiveity and selectiveity method for the detection of peroxy radicals is missing. Lastly, in general, peroxy radical reactions often have more than one set of products.

Previously, it was not always possible to perform a critical analysis using a self-consistent data base because (a) all the information about the experiments was not available, (b) it required re-analysis of previous data in light of new information such as absorption cross sections and product yields, and (c) the knowledge of the interfering reactions and their rates was also uncertain. Therefore, a panel of scientists who have worked with the peroxy radicals of interest to the atmosphere and whose data usually form the basis of recommendations was assembled as a part of the SPARC-IGAC initiative. This panel critically reevaluated the existing data, discarded some, and modified others to arrive at a self-consistent evaluation of the rate coefficients and product yields in the reactions of RO_2 radicals. This effort resulted in a paper that was published in the Journal of Geophysical Research [15]. The current recommendation uses these evaluated data.

Our consideration of upper tropospheric reactions has resulted in the addition of 18 new reactions, most of which involve reactions of Cl with alkyl nitrates, alkyl halides and organic peroxides and acids. Changes to the existing reactions mainly represent small refinements of the Arrhenius parameters and tightening of the uncertainty limits. One significant change involves the OH + acetone reaction rate coefficient which may exhibit curved Arrhenius behavior.

I.7.1.2 OH + Halocarbon Reactions

A comprehensive review of the reactions of industrial and naturally occurring halocarbons with the hydroxyl radical (OH) was conducted for this evaluation. In doing so, attempts were made to understand and reconcile apparent differences between the results of absolute and relative rate measurements for some of the reactions. Relative rate constants were "renormalized" using the revised recommendations for the reference reactions. Thus, the re-evaluation procedure was an iterative one, since relative rate studies themselves were often included as the basis for the rate constant recommendations of these very reference reactions. The recommendations were then checked for self-consistency by seeing whether ratios of the recommended rate constants were in agreement with published relative rate measurements.

In some cases, disparities may seem to exist. However, it should be recognized that the focus of this reevaluation was the generation of recommended rate constants over the temperature range of atmospheric importance (i.e., below 300 K). Many of the latest (or relatively recent) absolute rate studies have focused on this region but often extend to temperatures greater than 300 K Relative rate investigations, on the other hand, have been conducted predominantly above room temperature, with only limited extension below 300 K. This can lead to difficulties in evaluating the studies since many of the OH + halocarbon reactions exhibit pronounced Arrhenius curvature. This curvature has several possible causes including multiple reaction pathways (different types of abstractable H atoms), multiple reactant conformers (whose populations and reactivity differ with temperature), and tunneling. Of course, convincing evidence had to exist that such Arrhenius behavior was indeed real and not an artifact of the experimental procedure. For example, one of the common reasons for experimentally observed non-Arrhenius behavior is the presence of highly reactive impurities in the samples used in the absolute measurements. However, most recent absolute studies have involved thorough reactant sample purification and analysis and curvature in the Arrhenius plot is not likely due to such impurities. Thus, in the presence of real Arrhenius curvature, a rate constant expression derived predominantly from absolute rate constant measurements conducted below room temperature may not be appropriate for normalizing relative rate constant measurements conducted above room temperature. More detail about these issues may be found in the notes for the reactions of OH with HFC-152a and HFC-152 (reactions E7 and E8, respectively).

For some reactions in this section, there have been significant revisions in the recommendations as a result of new and improved studies. For other reactions, only minor changes from earlier recommendations have been made. Nevertheless, in all cases, such changes were made so that the complete set of recommendations is completely current with the published literature and is self-consistent. Finally, several new reactions have been included and the rate constant uncertainty factors (f and g) have been carefully reviewed in an attempt to narrow the range of rate constant uncertainties for modeling purposes. Previous uncertainty limits were overly conservative in some cases. In the present evaluation, the 2σ confidence limits derived from these factors were visually inspected together with the complete experimental database for consistency.

I.7.1.3 Absorption Cross Sections and Quantum Yields

The database for the evaluation of the absorption cross sections and quantum yields has been expanded considerably for all the halocarbon compounds. Whereas the previous evaluation JPL 97-4 reported only the absorption cross sections of a limited number of selected halocarbons, the present evaluation includes now a comprehensive review of most halocarbons of atmospheric relevance investigated in recent years.

The newly evaluated halocarbons are listed in Table 4. This list includes new entries for C_1 to C_4 chloroalkanes, C_1 to C_2 chlorofluoroalkanes (CFCs) and C_1 to C_3 hydrochlorofluorocarbons (HCFCs). For these species the database was expanded from 14 to 26 compounds. Moreover, the database for the brominated hydro- and mixed halocarbons, including halons, was increased from 6 to 18 compounds. Finally, a large range of iodine-containing compounds (total 32) has now been implemented in the present evaluation.

Also new in this section is the incorporation of temperature-dependence data, including the parameters used to express the temperature variation of the absorption cross sections by a polynomial expansion formula. These expressions will allow the calculation of absorption cross sections in a wide range of stratospheric temperatures. Finally, quantum yield data have also been updated for many species.

I.7.2 Heterogeneous Processes

New and/or updated evaluations in this document have focused on uptake measurements on binary liquid sulfuric acid/water solutions, supplemented in a few cases by data on ternary liquid sulfuric acid/nitric acid/water solutions, on water ice, and on "soot" (see definitions in the section on heterogeneous chemistry). No updates on solid acid/ice compositions are presented in this document, although evaluations for key nitrogen oxide sequestration and/or halogen activation reactions on nitric acid trihydrate (NAT) surfaces were recently re-evaluated and presented in JPL 00-3 [14]. Uptake data on alumina, salt and aqueous salt solutions have not been updated since JPL 97-4 [11]. Henry's law solubility data for reactive upper tropospheric/stratospheric species in binary liquid sulfuric acid/water, and, where available, in ternary liquid sulfuric acid/nitric acid/water solutions have also been updated and a much more extensive compilation of Henry's law parameters for pure water has been added.

I.7.3 Thermodynamic Parameters

The table in Appendix 1 contains selected entropy and enthalpy of formation values at 298 K for a number of atmospheric species. As much as possible, the values were taken from primary evaluations, that is, evaluations that develop a recommended value from the original studies. Otherwise, the values were selected from the original literature, which is referenced in the table. Often, the enthalpy of formation and the entropy values are taken from different sources, usually due to a more recent value for the enthalpy of formation. The cited error limits are from the original references and therefore reflect widely varying criteria. Some enthalpy values were corrected slightly to reflect the value of a reference compound selected for this table; these are indicated. Values that are calculated or estimated are also indicated in the table.

I.8 Acknowledgements

The Panel wishes to acknowledge Hannelore Keller-Rudek for her assistance preparing the evaluation of the photochemistry section and efforts updating the database on absorption spectra of atmospheric relevant compounds.

The new and updated evaluations presented in this heterogeneous chemistry section were prepared by B.J. Finlayson-Pitts, R.E. Huie, C.E. Kolb and M.J. Molina. They would like to acknowledge valuable technical and editorial assistance from L.R. Williams, Q. Shi, L.T. Molina and D.M. Smith. They would also like to thank the members of the international heterogeneous research communities who provided copies of their reprints, preprints and written summaries of recent results from their laboratories.We gratefully acknowledge the critical reading of this evaluation by Drs. W. B. DeMore and R. F. Hampson. We also appreciate the expert editorial assistance and website support provided by T. Wilson and L. Palkovic of the Jet Propulsion Laboratory. The typing skills of X. Sabounchi are also gratefully acknowledged.

I.9 References

- 1. Chlorofluoromethanes and the Stratosphere. In *NASA Reference Publication 1010*; Hudson, R. D., Ed.; NASA: Washington, D.C, 1977.
- 2. The Stratosphere: Present and Future. In *NASA Reference Publication 1049*; Hudson, R. D., Reed, E. I., Eds.; NASA: Washington, D.C, 1979.
- DeMore, W. B., D. M. Golden, R. F. Hampson, C. J. Howard, M. J. Kurylo, J. J. Margitan, M. J. Molina, A. R. Ravishankara and R. T. Watson "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 7," JPL Publication 85-37, Jet Propulsion Laboratory, California Institute of Technology, Pasadena CA, 1985.
- DeMore, W. B., D. M. Golden, R. F. Hampson, C. J. Howard, M. J. Kurylo, M. J. Molina, A. R. Ravishankara and S. P. Sander "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 8," JPL Publication 87-41, Jet Propulsion Laboratory, California Institute of Technology, Pasadena CA, 1987.
- DeMore, W. B., D. M. Golden, R. F. Hampson, C. J. Howard, M. J. Kurylo, M. J. Molina, A. R. Ravishankara and S. P. Sander "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 9," JPL Publication 90-1, Jet Propulsion Laboratory, California Institute of Technology, Pasadena CA, 1990.
- DeMore, W. B., D. M. Golden, R. F. Hampson, C. J. Howard, M. J. Kurylo, M. J. Molina, A. R. Ravishankara and S. P. Sander "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 10," JPL Publication 92-20, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, 1992.
- DeMore, W. B., D. M. Golden, R. F. Hampson, C. J. Howard, M. J. Kurylo, M. J. Molina, A. R. Ravishankara and S. P. Sander "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 11," JPL Publication 94-26, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, 1994.
- DeMore, W. B., D. M. Golden, R. F. Hampson, C. J. Howard, M. J. Kurylo, M. J. Molina, A. R. Ravishankara and R. T. Watson "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 5," JPL Publication 82-57, Jet Propulsion Laboratory, California Institute of Technology, Pasadena CA, 1982.
- DeMore, W. B., D. M. Golden, R. F. Hampson, C. J. Howard, M. J. Kurylo, M. J. Molina, A. R. Ravishankara and R. T. Watson "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 6," JPL Publication 83-62, Jet Propulsion Laboratory, California Institute of Technology, Pasadena CA, 1983.
- DeMore, W. B., D. M. Golden, R. F. Hampson, M. J. Kurylo, J. J. Margitan, M. J. Molina, L. J. Stief and R. T. Watson "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 4," JPL Publication 81-3, Jet Propulsion Laboratory, California Institute of Technology, Pasadena CA, 1981.
- DeMore, W. B., S. P. Sander, D. M. Golden, R. F. Hampson, M. J. Kurylo, C. J. Howard, A. R. Ravishankara, C. E. Kolb and M. J. Molina "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 12," JPL Publication 97-4, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, 1997.

- DeMore, W. B., L. J. Stief, F. Kaufman, D. M. Golden, R. F. Hampson, M. J. Kurylo, J. J. Margitan, M. J. Molina and R. T. Watson "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 2," JPL Publication 79-27, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, 1979.
- Sander, S. P., B. J. Finlayson-Pitts, R. R. Friedl, D. M. Golden, R. E. Huie, C. E. Kolb, M. J. Kurylo, M. J. Molina, G. K. Moortgat, V. L. Orkin and A. R. Ravishankara "Chemical Kinetics and Photochemical Data for Use in Atmospheric Studies, Evaluation Number 14," JPL Publication 02-25, Jet Propulsion Laboratory, Pasadena, 2002.
- Sander, S. P., R. R. Friedl, W. B. DeMore, D. M. Golden, M. J. Kurylo, R. F. Hampson, R. E. Huie, G. K. Moortgat, A. R. Ravishankara, C. E. Kolb and M. J. Molina "Chemical Kinetics and Photochemical Data for Use in Stratospheric Modeling, Evaluation Number 13," JPL Publication 00-3, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, 2000.
- 15. Tyndall, G. S., R. A. Cox, C. Granier, R. Lesclaux, G. K. Moortgat, M. J. Pilling, A. R. Ravishankara and T. J. Wallington, 2001, J. Geophys. Res., **106**, 12157-12182.